Behavioural Brain Research, 38 (1990) 291–292
Elsevier

Author Index

B

Bagnoli, P., see Buonamici, M., 83
Barajon, I., Vizzotto, L., Pizzini, G. and Tredici, G., Different neuronal types in transneuronally WGA-HRP-labeled premotor interneurons of the rat spinal cord, 77
Baumberger, B., see Pailhous, J., 275
Beninger, R.J., see Martin, P., 135
Bloedel, J.R., see Kelly, T.M., 7
Bohus, B., see Nyakas, C., 69
Britto, L.R.G., see De Souza, C.M.Z., 223
Bruno, J.P., see Weihmuller, F.B., 263
Buonamici, M., Cervini, M.A., Rossi, A.C., Sebastiani, L., Raffaelli, A. and Bagnoli, P., Injections of 6-hydroxydopamine in the substantia nigra of the rat brain: morphological and biochemical effects, 83

C

Carey, D.P., Goodale, M.A. and Sprowl, E.G., Blindsight in rodents: the use of a 'high-level' distance cue in gerbils with lesions of primary visual cortex, 283
Cervini, M.A., see Buonamici, M., 83
Cox, J.E., Inhibitory effects of cholecystokinin develop through interaction with duodenal signals, 35

D

Danilchuk, W., see Phillips, D.P., 1
Danscher, G., see Frederickson, R.E., 25
De Moraes Ferrari, E.A., see De Souza, C.M.Z., 223
De Souza, C.M.Z., Britto, L.R.G. and De Moraes Ferrari, E.A., Key pecking operant conditioning in detelencephalated pigeons (*Columba livia*), 223
Di Scala, G., see Rohmer, J.-G., 45
Druhan, J.P., Fibiger, H.C. and Phillips, A.G., Amphetamine-like stimulus properties produced by electrical stimulation of reward sites in the ventral tegmental area, 175

E

Eacott, M.J. and Gaffan, D., Interhemispheric transfer of visuomotor conditional learning via the anterior corpus callosum of monkeys, 109
Etienne, A.S., Joris, S., Maurer, R. and Teroni, E., Enhancing the impact of visual extra-maze cues in a spatial orientation task, 199

F

Feer, H., see Gentsch, C., 19
Fentress, J.C., see Phillips, D.P., 1
Ferrandez, A.-M., see Pailhous, J., 275
Fibiger, H.C., see Druhan, J.P., 175
Flückiger, M., see Pailhous, J., 275
Frederickson, C.J., see Frederickson, R.E., 25
Frederickson, R.E., Frederickson, C.J. and Danscher, G., In situ binding of bouton zinc reversibly disrupts performance on a spatial memory task, 25

G

Gaffan, D., see Eacott, M.J., 109
Gentsch, C., Lichtsteiner, M. and Feer, H., Competition for sucrose-pellets in triads of male Wistar rats: disinhibitory effect of individual housing in poor-performing rats, 19
Giardini, V., see Robbins, T.W., 243
Goodale, M.A., see Carey, D.P., 283
Gower, E.C., The long-term retention of events in monkey memory, 191

H

Hadjiconstantinou, M., see Weihmuller, F.B., 263
Hamon, M., see Martin, P., 135
Huston, J.P., see Morgan, S., 155

J

Jones, G.H., see Robbins, T.W., 243
Joris, S., see Etienne, A.S., 199

K

Kalli-Laouri, J., see Laouris, Y., 185
Kelly, T.M., Zuo, C.-C. and Bloedel, J.R., Classical conditioning of the eyeblink reflex in the decerebrate-decerebellate rabbit, 7
Kofman, O., McGlynn, S.M., Olmstead, M.C. and Yeomans, J.S., Differential effects of atropine, procaine and dopamine in the rat ventral tegmentum on lateral hypothalamic rewarding brain stimulation, 55

L

LaHoste, G.J. and Marshall, J.F., Nigral D_1 and striatal D_2 receptors mediate the behavioral effects of dopamine

agonists, 233
Laouris, Y., Kalli-Laouri, J. and Schwartze, P., The influence of altered head, thorax and pelvis mass on the postnatal development of the air-righting reaction in albino rats, 185
Lichtsteiner, M., see Gentsch, C., 19
Luiten, P.G.M., see Nyakas, C., 69

M

Markel, É., see Nyakas, C., 69
Marshall, J.F., see LaHoste, G.J., 233
Martin, P., Beninger, R.J., Hamon, M. and Puech, A.J., Antidepressant-like action of 8-OH-DPAT, a 5-HT_{1A} agonist, in the learned helplessness paradigm: evidence for a postsynaptic mechanism, 135
Maurer, R., see Etienne, A.S., 199
McGlynn, S.M., sqee Kofman, O., 55
Milgram, A., see Yinon, U., 163
Morgan, S. and Huston, J.P., The interhemispheric projection from the substantia nigra to the caudate-putamen as depicted by the anterograde transport of [^{3}H]leucine, 155

N

Nyakas, C., Markel, É., Bohus, B., Schuurman, T. and Luiten, P.G.M., Protective effect of the calcium antagonist nimodipine on discrimination learning deficits and impaired retention behavior caused by prenatal nitrite exposure in rats, 69

O

Olmstead, M.C., see Kofman, O., 55

P

Pailhous, J., Ferrandez, A.-M., Flückiger, M. and Baumberger, B., Unintentional modulations of human gait by optical flow, 275
Peinado-Manzano, M.A., The role of the amygdala and the hippocampus in working memory for spatial and non-spatial information, 117
Phillips, A.G., see Druhan, J.P., 175
Phillips, D.P., Danilchuk, W., Ryon, J. and Fentress, J.C., Food-caching in timber wolves, and the question of rules of action syntax, 1
Pizzini, G., see Barajon, I., 77
Puech, A.J., see Martin, P., 135

R

Raffaelli, A., see Buonamici, M., 83
Reading, P., see Robbins, T.W., 243
Robbins, T.W., Giardini, V., Jones, G.H., Reading, P. and Sahakian, B.J., Effects of dopamine depletion from the caudate-putamen and nucleus accumbens septi on the acquisition and performance of a conditional discrimination task, 243
Rogers, L.J., Light input and the reversal of functional lateralization in the chicken brain, 211
Rohmer, J.-G., Di Scala, G. and Sandner, G., Behavioral analysis of the effects of benzodiazepine receptor ligands in the conditioned burying paradigm, 45
Rossi, A.C., see Buonamici, M., 83
Ryon, J., see Phillips, D.P., 1

S

Sahakian, B.J., see Robbins, T.W., 243
Sandner, G., see Rohmer, J.-G., 45
Schuurman, T., see Nyakas, C., 69
Schwartze, P., see Laouris, Y., 185
Sebastiani, L., see Buonamici, M., 83
Sprowl, E.G., see Carey, D.P., 283
Steinmetz, J.E., Classical nictitating membrane conditioning in rabbits with varying interstimulus intervals and direct activation of cerebellar mossy fibers as the CS, 97

T

Teroni, E., see Etienne, A.S., 199
Tredici, G., see Barajon, I., 77

V

Vizzotto, L., see Barajon, I., 77

W

Weihmuller, F.B., Hadjiconstantinou, M. and Bruno, J.P., Dopamine receptors and sensorimotor behavior in MPTP-treated mice, 263
Winocur, G., Anterograde and retrograde amnesia in rats with dorsal hippocampal or dorsomedial thalamic lesions, 145

Y

Yeomans, J.S., see Kofman, O., 55
Yinon, U. and Milgram, A., The ocular dominance and receptive field properties of visual cortex cells of cats following long-term transection of the optic chiasm and monocular deprivation during adulthood, 163

Z

Zuo, C.-C., see Kelly, T.M., 7

Behavioural Brain Research, 38 (1990) 293–298
Elsevier

Key Word Index

A

Adult cat
optic chiasm transection; monocular deprivation; visual cortex cell; receptive field, 163

Air-righting reaction
development; chain reflex; motor program; plasticity; rat, 185

Amygdala
hippocampus; working memory; spatial versus non-spatial information; rat, 117

Anterior corpus callosum
visuomotor conditional learning; monkey; interhemispheric transfer, 109

Anterograde amnesia
hippocampus; thalamus; retrograde amnesia, 145

Antidepressant
8-OH-DPAT; microinjection; 5,7-dihydroxytryptamine lesion; septum; raphe nucleus; learned helplessness; rat, 135

Atropine
self-stimulation; carbachol; procaine; dopamine, 55

B

Background pattern
spatial orientation; path integration; visual extra-maze cue; depth perception; golden hamster, 199

Benzodiazepine receptor ligand
diazepam; Ro 16-6028; Ro 15-1788; FG 7142; conditioned defensive burying; ethological analysis, 45

Blinsight
visual cortex; image size; depth vision; Mongolian gerbil, 283

Brain lateralization
light input; reversal; embryo position; copulation; learning; neural plasticity, 211

Brainstem
cerebellum; nictitating membrane reflex; classical conditioning; learning; eyeblink; rabbit, 7

C

Carbachol
self-stimulation; atropine; procaine; dopamine, 55

Caudate-putamen
crossed nigrostriatal projection; substantia nigra, 155

D_1 receptor; D_2 receptor; substantia nigra pars reticulata; SKF 38393; SCH 23390; quinpirole; eticlopride, 233

striatum; nucleus accumbens; dopamine; neuroleptic; discrimination learning; rat, 243

Cerebellum
nictitating membrane reflex; classical conditioning; learning; brainstem; eyeblink; rabbit, 7

Classical conditioning; nictitating membrane; pontine stimulation; conditioned stimulus; interstimulus interval; conditioned stimulus trace, 97

Chain reflex
air-righting reaction; development; motor program; plasticity; rat, 185,

Chelation
zinc; vesicle; memory; hippocampus; spatial learning; rat, 25

Classical conditioning
cerebellum; nictitating membrane reflex; learning; brainstem; eyeblink; rabbit, 7

nictitating membrane; pontine stimulation; conditioned stimulus; cerebellum; interstimulus interval; conditioned stimulus trace, 97

Competition
individual housing; Wistar rat, 19

Conditioned defensive burying
benzodiazepine receptor ligand; diazepam; Ro 16-6028; Ro 15-1788; FG 7142; ethological analysis, 45

Conditioned stimulus
classical conditioning; nictitating membrane; pontine stimulation; cerebellum; interstimulus interval; conditioned stimulus trace, 97

Conditioned stimulus trace
classical conditioning; nictitating membrane; pontine

stimulation; conditioned stimulus; cerebellum; interstimulus interval, 97

Copulation
brain lateralization; light input; reversal; embryo position; learning; neural plasticity, 211

Crossed nigrostriatal projection
caudate-putamen; substantia nigra, 155

D

D-amphetamine
stimulus property; electrical brain stimulation; ventral tegmental area; drug discrimination; stimulus generalization; intracranial self stimulation; rat, 175

Depth perception
spatial orientation; path integration; visual extra-maze cue; background pattern; golden hamster, 199

Depth vision
visual cortex; image size; blindsight; Mongolian gerbil, 283

Detelencephalation
key peck; food reinforcement; reinforcement duration; telencephalon; pigeon, 223

Development
air-righting reaction; chain reflex; motor program; plasticity; rat, 185

Diazepam
benzodiazepine receptor ligand; Ro 16-6028; Ro 15-1788; FG 7142; conditioned defensive burying; ethological analysis, 45

3,4-Dihydroxyphenylacetic acid
dopaminergic fluorescence; nigrostriatal system; mesolimbic system; dopamine; dopamine metabolism; turning behavior, 83

5,7-Dihydroxytryptamine lesion
8-OH-DPAT; microinjection; septum; raphe nucleus; learned helplessness; antidepressant; rat, 135

Discriminant learning
striatum; caudate-putamen; nucleus accumbens; dopamine; neuroleptic; rat, 243

Dopamine
self-stimulation; atropine; carbachol; procaine, 55

dopaminergic fluorescence; nigrostriatal system; mesolimbic system; 3,4-dihydroxyphenylacetic acid; dopamine metabolism; turning behavior, 83

striatum; cuadate-putamen; nucleus accumbens; neuroleptic; discrimination learning; rat, 243

D_1 receptor; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SCH 23390; SKF 38393; L-sulpiride; quinpirole; mouse, 263

Dopamine metabolism
dopaminergic fluorescence; nigrostriatal system; mesolimbic system; dopamine; 3,4-dihydroxyphenylacetic acid; turning behavior, 83

Dopaminergic fluorescence
nigrostriatal system; mesolimbic system; dopamine; 3,4-dihydroxyphenylacetic acid; dopamine metabolism; turning behavior, 83

D_1 receptor
D_2 receptor; substantia nigra pars reticulata; caudate-putamen; SKF 38393; SCH 23390; quinpirole; eticlopride, 233

dopamine; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SCH 23390; SKF 38393; L-sulpiride; quinpirole; mouse, 263

D_2 receptor
D_1 receptor; substantia nigra pars reticulata; caudate-putamen; SKF 38393; SCH 23390; quinpirole; eticlopride, 233

dopamine; D_1 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SCH 23390; SKF 38393; L-sulpiride; quinpirole; mouse, 263

Drug discrimination
stimulus property; D-amphetamine; electrical brain stimulation; ventral tegmental area; stimulus generalization; intracranial self stimulation; rat, 175

Duodenal infusion
gastric infusion; hepatic-portal infusion; runway performance; satiety; rat, 35

E

Electrical brain stimulation
stimulus property; D-amphetamine; ventral tegmental area; drug discrimination; stimulus generalization; intracranial self stimulation; rat, 175

Embryo position
brain lateralization; light input; reversal; copulation; learning; neural plasticity, 211

Ethological analysis
benzodiazepine receptor ligand; diazepam; Ro 16-6028; Ro 15-1788; FG 7142; conditioned defensive burying, 45

Eticlopride
D_1 receptor; D_2 receptor; substantia nigra pars reticulata; caudate-putamen; SKF 38393; SCH 23390; quinpirole, 233

Event memory
long-term memory; non-matching-to-sample; retrograde amnesia; primate, 191

Eyeblink
cerebellum; nictitating membrane reflex; classical conditioning; learning; brainstem; rabbit, 7

F

FG 7142
benzodiazepine receptor ligand; diazepam; Ro 16-6028; Ro 15-1788; conditioned defensive burying; ethological analysis, 45

Food-caching
motor pattern; temporal sequencing; timber wolf, 1

Food reinforcement
key peck; reinforcement duration; telencephalon; detelencephalation; pigeon, 223

G

Gastric infusion
duodenal infusion; hepatic-portal infusion; runway performance; satiety; rat, 35

Golden hamster
spatial orientation; path integration; visual extra-maze cue; background pattern; depth perception, 199

H

Hepatic-portal infusion
duodenal infusion; gastric infusion; runway performance; satiety; rat, 35

Hippocampus
zinc; vesicle; chelation; memory; spatial learning; rat, 25

amygdala; working memory; spatial versus non-spatial information; rat, 117

thalamus; anterograde amnesia; retrograde amnesia, 145

Human gait
optical flow; modulation of locomotion, 275

Hypoxia
nitrite intoxication; prenatal development; learning; memory; nimodipine, 69

I

Image size
visual cortex; depth vision; blindsight; Mongolian gerbil, 283

Individual housing
competition; Wistar rat, 19

Interhemispheric transfer
anterior corpus callosum; visuomotor conditional learning; monkey, 109

Interstimulus interval
classical conditioning; nictitating membrane; pontine stimulation; conditioned stimulus; cerebellum; conditioned stimulus trace, 97

Intracranial self stimulation
stimulus property; D-amphetamine; electrical brain stimulation; ventral tegmental area; drug discrimination; stimulus generalization; rat, 175

K

Key peck
food reinforcement; reinforcement duration; telencephalon; detelencephalation; pigeon, 223

L

Learned helplessness
8-OH-DPAT; microinjection; 5,7-dihydroxytryptamine lesion; septum; raphe nucleus; antidepressant; rat, 135

Learning
cerebellum; nictitating membrane reflex; classical conditioning; brainstem; eyeblink; rabbit, 7

nitrite intoxication; hypoxia; prenatal development; memory; nimodipine, 69

brain lateralization; light input; reversal; embryo position; copulation; neural plasticity, 211

Light input
brain lateralization; reversal; embryo position; copulation; learning; neural plasticity, 211

Long-term memory
event memory; non-matching-to-sample; retrograde amnesia; primate, 191

L-sulpiride
dopamine; D_1 receptor; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SCH 23390; SKF 38393; quinpirole; mouse, 263

M

Memory
zinc; vesicle; chelation; hippocampus; spatial learning; rat, 25

nitrite intoxication; hypoxia; prenatal development; learning; nimodipine, 69

Mesolimbic system
dopaminergic fluorescence; nigrostriatal system; dopamine; 3,4-dihydroxyphenylacetic acid; dopamine metabolism; turning behavior, 83

1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine
dopamine; D_1 receptor; D_2 receptor; sensorimotor behavior; SCH 23390; SKF 38393; L-sulpiride; quinpirole; mouse, 263

Microinjection
8-OH-DPAT; 5,7-dihydroxytryptamine lesion; septum; raphe nucleus; learned helplessness; antidepressant; rat, 135

Modulation of locomotion
human gait; optical flow, 275

Mongolian gerbil
visual cortex; image size; depth vision; blindsight, 283

Monkey
anterior corpus callosum; visuomotor conditional learning; interhemispheric transfer, 109

Monocular deprivation
optic chiasm transection; visual cortex cell; receptive field; adult cat, 163

Morphometry
premotor interneuron; spinal cord; transneuronal transport; wheat germ-agglutinated horseradish peroxidase; rat, 77

Motor pattern
food-caching; temporal sequencing; timber wolf, 1

Motor program
air-righting reaction; development; chain reflex; plasticity; rat, 185

Mouse
dopamine; D_1 receptor; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SCH 23390; SKF 38393; L-sulpiride; quinpirole, 263

N

Neural plasticity
brain lateralization; light input; reversal; embryo position; copulation; learning, 211

Neuroleptic
striatum; caudate-putamen; nucleus accumbens; dopamine; discrimination learning; rat, 243

Nictitating membrane
classical conditioning; pontine stimulation; conditioned stimulus; cerebellum; interstimulus interval; conditioned stimulus trace, 97

Nictitating membrane reflex
cerebellum; classical conditioning; learning; brainstem; eyeblink; rabbit, 7

Nigrostriatal system
dopaminergic fluorescence; mesolimbic system; dopamine; 3,4-dihydroxyphenylacetic acid; dopamine metabolism; turning behavior, 83

Nimodipine
nitrite intoxication; hypoxia; prenatal development; learning; memory, 69

Nitrite intoxication
hypoxia; prenatal development; learning; memory; nimodipine, 69

Non-matching-to-sample
long-term memory; event memory; retrograde amnesia; primate, 191

Nucleus accumbens
striatum; caudate-putamen; dopamine; neuroleptic; discrimination learning; rat, 243

O

8-OH-DPAT
microinjection; 5,7-dihydroxytryptamine lesion; septum; raphe nucleus; learned helplessness; antidepressant; rat, 135

Optic chiasm transection
monocular deprivation; visual cortex cell; receptive field; adult cat, 163

Optical flow
human gait; modulation of locomotion, 275

P

Path integration
spatial orientation; visual extra-maze cue; background pattern; depth perception; golden hamster, 199

Pigeon
key peck; food reinforcement; reinforcement duration; telencephalon; detelencephalation, 223

Plasticity
air-righting reaction; development; chain reflex; motor program; rat, 185

Pontine stimulation
classical conditioning; nictitating membrane; conditioned stimulus; cerebellum; interstimulus interval; conditioned stimulus trace, 97

Premotor interneuron
spinal cord; morphometry; transneuronal transport; wheat germ-agglutinated horseradish peroxidase; rat, 77

Prenatal development
nitrite intoxication; hypoxia; learning; memory; nimodipine, 69

Primate
long-term memory; event memory; non-matching-to-sample; retrograde amnesia, 191

Procaine
self-stimulation; atropine; carbachol; dopamine, 55

Q

Quinpirole
D_1 receptor; D_2 receptor; substantia nigra pars reticulata; caudate-putamen; SKF 38393; SCH 23390; eticlopride, 233

dopamine; D_1 receptor; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SCH 23390; SKF 38393; L-sulpiride; mouse, 263

R

Rabbit
cerebellum; nictitating membrane reflex; classical conditioning; learning; brainstem; eyeblink, 7

Raphe nucleus
8-OH-DPAT; microinjection; 5,7-dihydroxytryptamine lesion; septum; learned helplessness; antidepressant; rat, 135

Rat
zinc; vesicle; chelation; memory; hippocampus; spatial learning, 25

duodenal infusion; gastric infusion; hepatic-portal infusion; runway performance; satiety, 35

premotor interneuron; spinal cord; morphometry; transneuronal transport; wheat germ-agglutinated horseradish peroxidase, 77

amygdala; hippocampus; working memory; spatial versus non-spatial information, 117

8-OH-DPAT; microinjection; 5,7-dihydroxytryptamine lesion; septum; raphe nucleus; learned helplessness; antidepressant, 135

stimulus property; D-amphetamine; electrical brain stimulation; ventral tegmental area; drug discrimination; stimulus generalization; intracranial self stimulation, 175

air-righting reaction; development; chain reflex; motor program; plasticity, 185

striatum; caudate-putamen; nucleus accumbens; dopamine; neuroleptic; discrimination learning, 243

Receptive field
optic chiasm transection; monocular deprivation; visual cortex cell; adult cat, 163

Reinforcement duration
key peck; food reinforcement; telecephalon; detelencephalation; pigeon, 223

Retrograde amnesia
hippocampus; thalamus; anterograde amnesia, 145

long-term memory; event memory; non-matching-to-sample; primate, 191

Reversal
brain lateralization; light input; embryo position; copulation; learning; neural plasticity, 211

Ro 15-1788
benzodiazepine receptor ligand; diazepam; Ro 16-6028; FG 7142; conditioned defensive burying; ethological analysis, 45

Ro 16-6028
benzodiazepine receptor ligand; diazepam; Ro 15-1788; FG 7142; conditioned defensive burying; ethological analysis, 45

Runway performance
duodenal infusion; gastric infusion; hepatic-portal infusion; satiety; rat, 35

S

Satiety
duodenal infusion; gastric infusion; hepatic-portal infusion; runway performance; rat, 35

SCH 23390
D_1 receptor; D_2 receptor; substantia nigra pars reticulata; caudate-putamen; SKF 38393; quinpirole; eticlopride, 233

dopamine; D_1 receptor; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SKF 38393; L-sulpiride; quinpirole; mouse, 263

Self-stimulation
atropne; carbachol; procaine; dopamine, 55

Sensorimotor behavior
dopamine; D_1 receptor; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; SCH 23390; SKF 38393; L-sulpiride; quinpirole; mouse, 263

Septum
8-OH-DPAT; microinjection; 5,7-dihydroxytryptamine lesion; raphe nucleus; learned helplessness; antidepressant; rat, 135

SKF 38393
D_1 receptor; D_2 receptor; substantia nigra pars reticulata; caudate-putamen; SCH 23390; quinpirole; eticlopride, 233

dopamine; D_1 receptor; D_2 receptor; 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine; sensorimotor behavior; SCH 23390; L-sulpiride; quinpirole; mouse, 263

Spatial learning
zinc; vesicle; chelation; memory; hippocampus; rat, 25

Spatial orientation
path integration; visual extra-maze cue; background pattern; depth perception; golden hamster, 199

Spatial versus non-spatial information
amygdala; hippocampus; working memory; rat, 117

Spinal cord
premotor interneuron; morphometry; transneuronal transport; wheat germ-agglutinated horseradish peroxidase; rat, 77

Stimulus generalization
stimulus property; D-amphetamine; electrical brain stimulation; ventral tegmental area; drug discrimination; intracranial self stimulation; rat, 175

Stimulus property
D-amphetamine; electrical brain stimulation; ventral tegmental area; drug discrimination; stimulus generalization; intracranial self stimulation; rat, 175

Striatum
caudate-putamen; nucleus accumbens; dopamine; neuroleptic; discrimination learning; rat, 243

Substantia nigra
caudate-putamen; crossed nigrostriatal projection, 155

Substantia nigra pars reticulata
D_1 receptor; D_2 receptor; caudate-putamen; SKF 38393; SCH 23390; quinpirole; eticlopride, 233

T

Telencephalon
key peck; food reinforcement; reinforcement duration; detelencephalation; pigeon, 223

Temporal sequencing
food-caching; motor pattern; timber wolf, 1

Thalamus
hippocampus; anterograde amnesia; retrograde amnesia, 145

Timber wolf
food-caching; motor pattern; temporal sequencing, 1

Transneuronal transport
premotor interneuron; spinal cord; morphometry; wheat germ-agglutinated horseradish peroxidase; rat, 77

Turning behavior
dopaminergic fluorescence; nigrostriatal system; mesolimbic system; dopamine; 3,4-dihydroxyphenylacetic acid; dopamine metabolism, 83

V

Ventral tegmental area
stimulus property; D-amphetamine; electrical brain stimulation; drug discrimination; stimulus generalization; intracranial self stimulation; rat, 175

Vesicle
zinc; chelation; memory; hippocampus; spatial learning; rat, 25

Visual cortex
image size; depth vision; blindsight; Mongolian gerbil, 283

Visual cortex cell
optic chiasm transection; monocular deprivation; receptive field; adult cat, 163

Visual extra-maze cue
spatial orientation; path integration; background pattern; depth perception; golden hamster, 199

Visuomotor conditional learning
anterior corpus callosum; monkey; interhemispheric transfer, 109

W

Wheat germ-agglutinated horseradish peroxidase
premotor interneuron; spinal cord; morphometry; transneuronal transport; rat, 77

Wistar rat
competition; individual housing, 19

Working memory
amygdala; hippocampus; spatial versus non-spatial information; rat, 117

Z

Zinc
vesicle; chelation; memory; hippocampus; spatial learning; rat, 25